BILL NO. S-81-03-39

2.5

SPECIAL ORDINANCE NO. S- 98-8/

AN ORDINANCE approving Civil City Purchase Order No. A-000557 with Indiana Equipment Company, Inc. for a payer for the Street Department.

BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT WAYNE, INDIANA:

SECTION 1. That Civil City Purchase Order No. A-000557 dated March 2, 1981, between the City of Fort Wayne, by and through the City Purchasing Director and the Board of Public Works and Indiana Equipment Company, Inc. for the purchase of one asphalt paver to be used in the Street Department, at a cost of \$31,597.50, all as more particularly set forth in said Purchase Order, which is on file in the Office of the Department of Purchasing and is by reference incorporated herein and made a part hereof, be and the same is in all things ratified, confirmed and approved.

SECTION 2. That this Ordinance shall be in full force and effect from and after its passage and approval by the Mayor.

Samuel J. Talarica

APPROVED AS TO FORM AND LEGALITY MARCH 20, 1981.

1. 2. Hoffman

JOHN E. HOFFMAN, CITY ATTORNEY

				00		
Read the fir seconded by by title and refer Plan Commission fo due legal notice, Indiana, on	r recommend	full and of and of committee dation) and of cil Chamber the	Public Hear	read the (1) u/b (ing to be nty Buildi	held after ng, Fort Wayne, day of	
DATE: 3	-21-81		Ol	11/11/11	71 1	
DATE:	<i>2-1</i> 0/		CHARLES W. V	VESTERMAN	elesterman	
Dond the thi	0	f111 .		2.0		
seconded by passage. PASSED	(host) b	y the foll	on motion by , and duly ac owing vote:	dopted, pl	aced on its	
	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT:	
TOTAL VOTES	9	0			***************************************	
BURNS	X					
EISBART						
GiaQUINTA					***************************************	
NUCKOLS	\overline{x}					
SCHMIDT, D.	\overline{X}				-	
SCHMIDT, V.	X					
SCHOMBURG	\propto					
STIER						
TALARICO	Δ					
DATE:	f-14-81		CHARLES W. W	W. h	CITY CLERK	
Passed and a	dopted by t	he Common	Council of th	e City of	Fort Wayne,	
Indiana, as (ZONIN	3 MAP) (G	ENERAL) —	(ANNEXATION)	/ (SPECIAI	۵) ِ	
(APPROPRIATION) OR) No	-58-8	<u>/</u>	
on the	the day o	t Cep	ril	_, 19_ <i>&</i>	<u>/_</u> .	
CHARLES W. WESTERMAN - CITY CLERK PRESIDENCE OFFICER						
Presented by	me to the l	Mayor of the	he City of Fo	rt Wayne,	Indiana, on	
the 15th	_day of	Epril	, 19 <i>8</i> /	, at the	hour of	
<u>2:30</u> 0'cloc	ek <u>(</u>	M.,E.S.T.	CHARLES W. W.	(.A.8	liberteo.	
Approved and	signed by m	me this	20th	-	day of april	
19 <u>8</u> , at the hou	ir of	9	clock A M.	,E.S.T.	U	
			WINFIELD C.	MOSES, JR.		

REPORT OF THE COM	MITTEE ON PUBLIC WORKS
WE, YOUR COMMITTEE ON Public Work	sTO WHOM WAS REFERRED AN
ORDINANCE approving Civil City P	
Indiana Equipment Company, Inc.	
Department	-
	- Andrewson and the control of the c
*	
- 1	
1	
* A	·
HAVE HAD SAID ORDINANCE UNDER CONSID	ERATION AND BEG LEAVE TO REPORT
BACK TO THE COMMON COUNCIL THAT SAID	ORDINANCE DO PASS.
SAMUEL J. TALARICO, CHAIRMAN	Samuel & Johanno
PAUL M. BURNS, VICE CHAIRMAN	Mark E Gia Cumb
JAMES S. STIER	Jan Iller
MARK E. GIAQUINTA	Mark C. Gildent
DONALD J. SCHMIDT	2 Bolomed
DATE CHARLES W. WESTERN	
DATE CHARLES IN	4
WESTERA	IAN, CITY CLE

Dear Aaron:

In reviewing the bids on the proposed asphalt paver to be purchased by the City of Fort Wayne, I urge those to be involved in the final decision be informed of the following:

In requesting the City of Fort Wayne purchase this paver for the use of the Asphalt Plant, it was our hope that the highest quality machine for the money available be obtained. It was our desire that a paver be purchased that would have all the qualities of the "top of the line" pavers, and also that it be able to move from job to job without the need of a trailer.

Evidently the two machines that met these qualifications were priced considerably above the dollar amount that was available. So if these two are going to be eliminated because of price, then let's examine the remaining two.

Bid Item #2 on the bid tabulation sheet was the Mauldin Super Paver price \$26,500.00. We visited the Deeds Equipment Company in Indianapolis and viewed the paver that was in their yard. The Mauldin Company has been in the small paver business for several years, but has only built this size paver for about one year. It is basically the same unit used in both small and medium size pavers. They have added some features that increase size and output, but the basic machine remains the same. We requested that Deeds furnish us with the names of contractors owning the paver so we could contact them. We wanted to get some idea what quality work we could expect from the paver and what the incidence of repair was. We were told there were three pavers in operation in the state, but were never furnished the names or locations where they could be seen. So our knowledge of the paver is what we observed at their yard and what can be learned from the very brief brochure furnished us.

Bid Item #4 on the bid tabulation sheet was the Allat C-300, \$31,597.00. This paver is sold by Indiana Equipment Company. We have extensive literature on this machine and have also visited and talked at length to the people in the Elkhart County Highway Department. They purchased a C-300 two years ago, and have since put several thousand tons of asphalt mixtures through the paver. In two years, they have had some minor hydraulic leaks, and a flat tire, and this has been the extent of their repairs. They have been very satisfied with the quality of the work obtained and the almost zero hours of down time. The C-300 was designed to compete with the much larger machines where huge amounts of hot mix were not being used. It has almost all the options that the larger machines have, such as bolt on screed extensions, cut off plates, joint matcher and grade and slope control. While all of these options are not required in our operation, it does show the quality of the machine. One feature alone that would almost offset the difference in price, is the diesel engine that comes as standard equipment. There are many other features that put C-300 in a more desirable classification.

Sincerely yours,

James H. Preston, Asphalt Supervisor

George L. Underwood, Street Commissioner BID REFERENCE NUMBER - 959

DETERMINATION OF BIDS, BY PERCENTAGES:

ONE (1) ASPHALT PAVER FOR THE STREET DEPARTMENT BIDS FOR:

12/02/80 DATES

THE RATING FOR IND EQUIP IS: 87.3708 % (\$ 31597.5) THE RATING FOR IND EQUIP #2 IS: 81 % (\$ 24780) THE RATING FOR REID-HOLDOMB IS: 55,4743 % (\$.54462.) THE RATING FOR DEEDS EQUIP IS: 86.3706 % THE RATING FOR STATE EQUIP IS: 40.2266 % (\$ 26500) (\$ 65188)

BREAKDOWN OF PERCENTAGES:

TWO EQUIP Q = 38 % ... S = 14.7 % D = 9.3 % P = 25.3708 % IND EQUIP #2 Q = 22 %
REID-HOLCOMB Q = 38.4 % S = 14.7 % D = 9.3 % P = 35 % S = 14.7 % D = 9.3 % P =-6.92373 % DEEDS EQUIP Q = 30.4 % S = 14.1 % D = 9.3 % P = 32.5706 % D = 9.3 % P =-22.0734 % STATE EQUIP 0 = 39.2 %S = 13.8 %

THE VENDORS WITH THE HIGHEST PERCENTAGE EQUALS THE LOWEST AND BEST BID.

FORMULA: PRICE 35 %; QUALITY 40 %; SERVICE 15 %; DELIVERY 10 % = ...100%

PRICE: PRICE IS BASED ON THE LOWEST AMOUNT RECEIVED.

QUALITY IS BASED ON KNOWN INFORMATION OF MATERIALS AND HOW THE BID MET THE SPECIFICATIONS REQUESTED.

SERVICE IS BASED ON PAST EXPERIENCE OF THE VENDOR AND ANY KNOWN CHANGES IN THEIR OPERATION.

DELIVERY: DELIVERY IS BASED ON SPECIFIED DELIVERY DATES, AND ITS IMPACT ON THE DEPARTMENT REQUESTING THE EQUIPMENT.

CIVIL CITY OF FORT WAYNE 1980	PONDENCE, CLAIM	FORT W	YAYNE, IN 46802	NOOM 940	DAT	E 03/0:	2/81 7/.	-/32-1/
STREET DEF	ARTMENT		880		HILL	. 110. 64	187 °	PEAR ON ALL INVOICES SETS, PACKAGES AND
FORT WAYNE	IN 4	6803					OICE IN DUP	
VIND EQUIP.	VILLE ND		1203-	-92		x el	VIL CI	īΥ
DELIVER TO: DEPARMENT OR DIVISION	т-	6268	Ammur		4	ଔ	TY UT	LITTES
	21	AME AS	ABOVE		APPR	OFRIATION		
CASH DISCOUNT TERMS	%.0	F PAID WITHIN	DAYS F	ROM DELIVERY AND	AND	FUND NUMBER 1	+-02-134- 	010-01-4003 PR959G
	OR PERFORMANCE OF SER		FOR DISCOUNT SH					AMOUNT
ORDERED	and the characteristic property and administration of	PRODUCED CHEST SERVICE	THE REAL PROPERTY AND ADDRESS OF THE PARTY O	THERWISE INDICATED		The second second	Additional Development	d state of the same
1, EA	13840-4 AS PER SPE	ALLATT I	IDDEL C-3	OO ASPHAL	I_PAS	ÆR3	1597.50	31597,50
	BID REFERE			E.	The same		Jan M. Sanda	Market Bucher R.
					3 3	· · · · ·		Maria de la constanta de la co
in evertalistic	DATE:	rato cour		APRROVAL	201111		220000000000	Manufact & Machine
	ORC. 4	il signer.		a time and and and and along our own man				The second secon
_ 1 (M130M2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	action of the second	.,	~~~		Sec. 1			
	in the second second	alaba .			32 ·			4
	300	Age.	15 + 10 · 1				2.	
Land della	. Alders and the control	and the second		der			. AF 200	· >
			i i i i i i i i i i i i i i i i i i i		TOTAL SET	×		3.00
EOR INFOR	MATION: AAR	ON GLUCK		219-4	23-70	37 .	TOTAL	31597,50
COMPLIANCE WITH THE DELIVERY DATE RE- OUESTED WILL AVOID "FOLLOW UP" CORRE- SPONDENCE.	UNLESS OTHERWISE IND CATED THE PRICES SHOW INCLUDE ALL CHARGE FOR DELIVERY, PACKING ETC., NECESSARY TO COM- PLETE DELIVERY TO DES TINATION SPECIFIED.	NC S RE INSTRUCT THE BACK		THE CONTRACTOR OF THE CONTRACT	R VENDOR, S ORDER, FRAL CON- DF AGREE- F THIS OR-	EXEMPTION FURNISHED V	PRIVISE INDICATED, HOWN DO NOT IN- OF ANY KIND. BLANKS WILL BE WHEN NECESSARY STAX EXEMPTION CATE NUMBER 4508-03	IF THIS ORDER DOES NOT AGREE WITH YOUR OUG- TATION KINDLY RETURN IT WITH AN EXPLANA- TION.
I HEREBY CERTIFY THAT BY UNENCUMBERED E ITURE THEREFORE HA CITY CONTROLLER	AT THE COST OF THE AB BALANCES IN THE ABOY S BEEN DULY AUTHORIZ R	SOVE PURCHASE E FUNDS AND THE ZED AND APPROF	IS FULLY COVEREI HAT THE EXPEND PRIATED.	I HEREBY CERTII AUTHORIZED BY IN THIS OFFICE. DIRECTOR			ONAL KNOWLEDG D AND APPROVED	E THAT THIS ORDER IS REQUISITION ON FILE
PER				PER _				
			Oi	RIGINAL (1)				

Tabulation of Bid ASPHAIT Bid Reference No.: 959-G PAUER Closing Date December 2, 1980 @ 11 Stockberger Machinery 2222 West Coliseum Blvd. 30 By-Pass Fort Wayne, IN 46808 Indiana Equipment Co. nelox mde C300 allite SP50 alla 414 West Collseum Blvd \$ 31.597.50 aptered 12 H st. espare 24,780.0. Fort Wayne, IN 46805 bid bond Elasternate. Reid-Holcomb, Inc. 30/or nelog madel # PF 35 paner aptional 3333 W. Coliseum Blvd. 30 By-Pass 48.722.00 + 11 ft pteel ex Fort Wayne, IN 46808 bond \$ 51.592.00 tracy 2870.00 Korte Brothers, Inc. 335 Murray Street Fort Wayne, IN 4680.3 maulden puper power. Sydralie Deed's Equipment Co. 801 East 45th 8-12 street. Indianapolis, IN 46226 \$ 26,500.00 bed bond Brown Equipment Co. Inc. 1022 | 3th Street - Baer Field Fort Wayne, IN 46809 Weiss Machinery Corporation 5101 Industrial Road Fort Wayne, IN 46825 State Equipment Company, Inc. MO 5B111 ASPARIT PAU \$ 62,900.00 > street 11 ft \$ 55.188 00 roman s/2 2288.00 3818 Prospect Street P.O. 33103 Indianapolis, IN 46203 bed bond

Memorandum

Board of Public Works

Date 2/27/80

Aaron Gluck, Director of Purchases

Bid reference no. 959-G

COPIES TO-

Attached are copies of Bids received for One (1) Asphalt Paver for the Street Department. Purchase Order Number A-000557 has been assigned to Indiana. Equipment Company.

After Extensive review of this bid, which produced a wide range of bids in both price and type of equipment, I recommend that we accept the bid from Indiana Equipment.

When evaluated on the basis of Price, Quality of Equipment, Service and Delivery, Indiana Equipement Co. was rated as the Lowest and Best Bid.

Please include the attached supporting information when this ordinance is submitted to City Council for Prior Approval. Also, please insure that not confirming Purchase Order number is given to Indiana Equipment Company until Purchasing receives written confirmation of Council's approval,

> Aaron M. Gluck, Director Department of Purchases

That approval written 2/2/81

70-133-11

CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802 INVITATION

Quosations, sobiest to the conditions on the reverse harved, are requested on the following list of materials, samplies, extrement or services, for the department as manifored, with delivery to destination as those below. Octobations shall incide all thickneys for delivery, posticing, e.g., Anoness pour roops as

*Mail all rootes and Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. REQUIRED FOR DELIVERY TO:

Department or Division Street Department

1701 South Lafayette Street

Address Fort Wayne, IN 46803 PETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Closing
Time of Bids Tuesday, December 2, 1980 at 11:00 AM

TAINS THE CITY IS RELECT FROM FEMERAL RICES AND EDILAN. STATE SALES TAX THE CITY ENDIANA SALES TAX EXCEPTION CHARTCAIN NUMBER IS NO, MAKE PRICES SHOULD NOT INCLUDE TRIBE TAXES SA "Internation to Bilder" No. 15 on Present Level for Goals.

TAX EXEMPT (Unless otherwise indicated)

Quantity	Unit	Materials, Supplies, Equipment or Services	Unrt Price	Total Assessed
		·		
1		Medium Size Asphalt Paver, as per specifications, (or Equivalent)		\$31,597.5
1		Allatt Model C-300 per enclosed bid specifications and specification sheet. Delivery 10 days from receipt of order.		
.		ALTERNATE BID		
1		Allatt Model SP-50 per enclosed bid specifications and specification sheet. Delivery 90 days from receipt of order.		\$24,780.0
		•		
		Affirmative Action: On File: xx Attached:	,	

Bid :	Bond	beriuper	ä	200	50		Performance	Bond	, C			
					Se-	instruction item No	. 16 од гетегне	side bere	ol.			
Tarr	ma	net or	cash	discount	if paid within	days fr	om deliver	z and s	eccent	ance of a	roods or completion of se	arrices.

rms_% cash discount if paid within____days from delivery and acceptance of goods or completion of services

PROPOSAL OR BID

In compliance with the above invitation for hids and rather to all conditions thereof, the understands of ers and agrees, if this hid by accross within a reasonable time from case of ciouse, to formula may or all'el the incus or rather such services upon which price as expected, in accordance with the specifications applying and as the process or opposite sent incu.

Delivery of any or all of the items or completion of services indicated shall be made withinkledays from receipt of order TEMPORTANT A delivery any to deside there is the world of as order, it is independent that Molders formed by the services of the large large.

•					COMPANY	
	7w	Stini	c Ind	one of Compa	THIS EXEC	VICE-
				VILLE		PRE
1		TATTATA	ADOL T	O TH		

INDIANAPOLIS , IN 12/2/80

Page 1 of 6

959-G

Ref. No. _

Date wanted .

46802

Date __!1-12-30

Appropriation No. _

Fund 4-02-134-010-4003

Specifications for One (I) Medium Size Asphalt Paver including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

spe	cifications listed h	erein:		
Allatt Model C-300 per attached Base Pric				\$_31,285.00
5	specification she	et. '	Frèight:	\$312.50_
١.	General:	Lays either asphaltic or base material to grade to a width of 8° at a de 4° to 6°.		\$ Standard
2.	Tires:	2 - II. 25 × 24 high flotation has pneumatic tires on rear of paver 2 - 12 " × 22 " solid rubber tires	and	\$N/C
3.	Traction Drive:	Hydrostatic drive coupled to 3 sp transmission. Variable volume hy drive to provide infinite speed in each of the three speed ranges	ydrostatic selection s.	See Specifications
4.	Controls:	Dual control stations providing of paving speeds or travel speeds conveyer system, folding hopper, lift, throttle, horn, power steater, screed vibrator, hydraul brakes and parking brake. Augerspeed controls and screed depth of located at rear of machine.	control s, auger screed ring, lic disc -conveyor	See Specifications \$N/C
5.	Hopper:	Minimum of 72 cubic feet struck of with hydraulic folding sides.	capacity	See Specifications \$_Standard
6.	Auger-Conveyor System:	Infinitely varible speed hydrosta auger-conveyor with separate driv left and right hand systems, osci ing push rollers.	ve for	\$N/C
7.	Screed:	One piece 8' wide with bolt-on re wearing surfaces and bevel edger Two high pressure forced air kerc heaters with electrical ignition gral pressurized kerosene system washdown.	plates. sene screed and inte-	See Specifications \$ N/C See Specifications
8.	Engine:	Gasoline with a minimum of 104 cu displacement and 12 volt electric	ubic inch cal system.	\$ N/C See Specifications
9.	Option:	Screed extensions to II'. Diesel fuel spray Bolt-On Ni-Hard auger segme Single joint matching cont		\$ Standard \$ included \$ included \$ 2,695.00

Specifications for One (I) Medium Size Asphalt Paver including all standard equipment as listed in the manufacturer's literature unless supercaded by any of the following specifications listed herein:

	ALTERNATE B	ID	Base Price:	3 24,480.00
		per attached specification pecification sheet.		\$ 300.00
1.	General:	Lays either asphaltic or base ma to grade to a width of 8' at a d å" to 6".		<pre>\$ standard</pre>
2.	Tires:	2 - II.25 x 24 high flotation he pneumatic tires on rear of paver 2 - I2" x 22" solid rubber tires	and	<pre>\$_standard</pre>
3.	Traction Drive:	Hydrostatic drive coupled to 3 s transmission. Variable volume h drive to provide infinite speed in each of the three speed range	ydrostatic selection	\$_standard
4.	Controls:	Dual control stations providing of paving speeds or travel speed conveyer system, folding hopper, lift, throttle, horn, power steater, screed vibrator, hydrau brakes and parking brake. Auger speed controls and screed depth located at rear of machine.	s, auger screed ring, lic disc -conveyor	<pre>\$ standard</pre>
5.	Hopper:	Minimum of 72 cubic feet struck with hydraulic folding sides.	capacity	\$ standard
6.	Auger-Conveyor System:	Infinitely varible speed hydrost auger-conveyor with separate drileft and right hand systems, oscing push rollers.	ve for	<pre>\$ standard</pre>
7.	Screed:	One piece 8t wide with boit-on rewaring suffaces and bevel edger two high pressure forced air kerheaters with alectrical ignition gral pressurized Kerosene system washdown.	plates. osene screed and inte-	 \$_standard
8.	Engine:	Gasoline with a minimum of 104 co displacement and 12 velt electric		3_standard
9.	Options:	Screed extensions to !!'. Diesel fuel spray system Bolt-On Ni-Hard auger segme	ents	<pre>\$ not available \$ 153.00 \$ 207.00</pre>

SPECIFICATIONS QUESTIONNAIRE

Bidders Proposal - To Be Completed

By the Bidder

1. General: Allatt C300 will lay either asphaltic or base materials to grade to a width of 8' at a depth of 1/4" to 8". Exceeds specifications. 2. Tires: (4) Four 22" x 9" 14 ply rated steel belted tires enclosed in single piece steel belted rubber track providing better floatation, traction and stability. 3. Traction Drive: Hydrostatic single speed transmission with infinite speed selection from 0'-165 ft/minute. Motion locks also included to prevent run-away while paving on steep grades. 4. Controls: <u>Dual automative type steering providing ease</u> and familiarity of operation with starter, throttle, hydraulic screed extension, auger, feeder, screed lift, hopper wing lift, screed vibrator and all other controls within easy reach of platform allowing one man operation. 5. Hopper: Approximately 135 cubic foot struck capacity exceeding specifications. Auger-Conveyor System: Choice of gravity feed for coarse base mixes or reciprocating plate feeder for finer mixes. Auger and feeder speed coincide to assure smoothest mat. Oscillating push rollers.

Screed: Once piece 8' long x 18" wide vibratory screed with propane gas heat for faster and more even screed heating reducing chance of screed warping plus being safer. Bolt on replaceable curved screed plate. Engine: _Hatz Model Z790 4 cycle, 2 cylinder diesel engine for best dependability and longevity. Option 9: Hydraulically actuated screed extensions (2' each side) are standard equipment eliminating manual settings and down time for installation.

Diesel fuel spray system.

Bolt-On Ni-Hard auger segment covers.

Also see attached Allatt specification sheet.

ALTERNATE BID Allatt Model SP-50

SPECIFICATIONS QUESTIONNAIPE


Biddens, Proposel - To Be Completed

Section of their

1.	General: Lays either asphaltic or base materials to grade to a width
	of 8' at a depth of 1/4" to 4".
2.	Tires: The SP-50 rides on a unique steel belted rubber track system
	carried on three pairs of solid rubber tires molded to the wheels.
3.	Traction Orive: Hydrostatic drive powered by two hydraulic drive
	motors providing speeds from 0 to 145 FPM.
	Control of the Contro
4.	Controls: Single control station in center of machine providing control
	of all machine functions. Machine controls are fully hydraulic ,
	smooth and positive in action.
	*
5.	Hopper: Four ton or 72 cubic foot capacity with hydraulic folding sides
6.	Auger-Conveyor System: The augers are independently driven by two
	hydraulic motors.
7.	Screed: 4' 6" long screed with bolt on plate. Hydraulic strike off
	extensions on each side provide paving width to 8'. Screed is 17-3/4"
	wide and vibratory. Heated by two propane burners.
з.	Engine: Hatz - air cooled diesel - 30 HP @ 3000 RPM - 12 volt
9.	Option: Diesel fuel spray system Bolt-On Ni-Hard auger segemtns.
	Also see attached Allatt specification sheet.


Babcock Allatt C-300 Paver

The utility paver that's big on work.



The small paver with the big appetite for work

Allatt AllPaver SP-50



		C	7
FORM	QP23-5-48	N . :	ı

TY OF FORT WAYNE

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. 46802

INVITATION

Quonations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as mantioned, with delivery to destination as above below. Constitutes shall incide at licharge for delivery, packing, etc. Access pour repit with

*Mail all twoller and correspondence, etc. to Att. of Aaron M. Gluck 423-7037

DEPARTMENT OF PURCHASES

REQUIRED FOR DELIVERY TO:

Department or Division Street Department

Room 940, Number One Main St., Ft. Wayne, Ind.

Fund 4-02-134-010-4003 Appropriation No. ___

Ref. No. .

Date __!1-12-30

Date wanted _

Page 1 of 6

959-G

1701 South Lafayette Street

Fort Wayne, IN 46803°

RETURN ORIGINAL TO THE CITY-RETAIN DUPLICATE COPY FOR YOUR FILE Closing

Time of Bids Tuesday, December 2, 1980 at 11:00 AM

TAINS I THE CITY IS MINNEY FROM FIDERAL NICES AND BIDLAMA STATE SALIS TAX. THE CITYS INDIANA SALIS TAX EXCEPTION CONTINUENT STATES TAILS for "Instructions to Salvert" No. 10 on reverse brend for details.

THE TYPE TO THE TIME SALIS SECURITY OF THE SALIS SALIS TAX. THE CITYS INDIANA SALIS TAX EXCEPTION TO THE CONTINUENCE SALIS TAX. THE CITY SALIS TAX EXCEPTION TO THE CONTINUENCE SALIS TAX. THE CITY SALIS TAX EXCEPTION TO THE CONTINUENCE SALIS TAX. THE CITY SALIS TAX EXCEPTION TO THE CONTINUENCE SALIS TAX EXCEPTION TO THE

Questity	Unit	Materials, Supplies, Equipment of Services	Untt	Total America
		•		
1		Medium Size Asphalt Paver, as per specifications, (or Equivalent)		
	ĺ	Blaw-Knox, Model PF-35 Paver		\$48,722.0
		OPTIONAL EQUIPMENT -		
		Screed Extensions - to 11'		\$ 2,870.0
	·			•
		Affirmative Action: On File: X Attached:	.	

0 % cash discount if paid within _____ days from delivery and acceptance of goods or completion of services.

PROPOSAL OR BID

In compliance with the above invitation for bids and rabbest to all conditions thereof, the understanded ofters and agrees, if this bid he accorded within a reasonable time from class of scotter, to forming any or all of the licens or reader such services upon which prices are quoted, in accordances with the specifications applying and as the price set opposet each licen. Delivery of any or all of the items or completion of services indicated shall be made within 60 days from receipt of order As delivery may be a deciding factor in the award of an order, it is important than hidden furnish the information requested shows IMPORTANT F

> Reid-Holcomb Company, Inc. Name of Company

Sign Hares

Br. Manager Title.

3333 W. Coliseum Blvd.

Ft. Wayne, Ind. 46808 12/2/80 Specifications for One (I) Medium Size Asphalt Paver including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

			Base Price:	\$ 48,722.00
			Frèight:	\$
1.	General:	Lays either asphaltic or base material to grade to a width of 8^{\dagger} at a detail of 6° .	terials epth of	\$_Std
2.	Tires:	2 - II.25 x 24 high flotation her pneumatic tires on rear of paver 2 - I2" x 22" solid rubber tires	and	\$_Std
3.	Traction Drive:	Hydrostatic drive coupled to 3 sp transmission. Variable volume hy drive to provide infinite speed s in each of the three speed ranges	/drostatic selection	\$_Std
4.	Controls:	Dual control stations providing of paving speeds or travel speeds conveyer system, folding hopper, lift, throttle, horn, power ster starter, screed vibrator, hydraul brakes and parking brake. Augerspeed controls and screed depth olocated at rear of machine.	s, auger screed ling, lic disc conveyor	\$Std
5.	Hopper:	Minimum of 72 cubic feet struck of with hydraulic folding sides.	capacity	\$Std
6.	Auger-Conveyor System:	Infinitely varible speed hydrosta auger-conveyor with separate driv left and right hand systems, osci ing push rollers.	e for	\$Std
7.	Screed:	One piece 8' wide with bolt-on re wearing suffaces and bevel edger Two high pressure forced air kero heaters with electrical ignition gral pressurized kerosene system washdown.	plates. sene screed and inte-	\$Std
8.	Engine:	Gasoline with a minimum of 104 cu displacement and 12 volt electric	bic inch al system.	\$Std
9.	Option:	Screed extensions to II [†] .		\$2,870.00

SPECIFICATIONS QUESTIONNAIRE

Bidders Proposal - To Be Completed

By the Bidder

1.	General: Blaw-Knox PF-35 with all standard equipment capable of laving asphaltic and base
	material to grade at widths of 6' to 8' at 1/4" to 6" depth
2.	Tires: 2 - 11.25 x 24 high flotation rear tires
	2 - 12" x 32" solid rubber tires in front
3.	Traction Drive: Hydrostatic drive coupled to a 3-speed transmission variable volume
	hydrostatic drive to provide infinite speed selection in each of 3 speed ranges.
	Paving speeds - 0 to 130 FPM. Travel speeds - high range 0 to 22 MPH.
4.	Controls: Dual control stations providing control of paving speeds, travel speeds, auger
	control system, folding hopper, serced lift, throttle, horn, power steering, starter,
	screed vibrator, hydraulic disc brakes, parking brake, auger conveyor speed controls, and
	screed depth controls located at rear of machine.
5.	Hopper: 72 cubic feet struck capacity with hydraulic folding of sides
6.	Auger-Conveyor System: Infinitely variable speed hydrostatic auger - conveyor with
	_separate drive for left and right drive - oscillating push rollers
7.	Screed: One piece 81 wide with bolt-on replacable wearing surfaces and bevel edger plates.
	Two high pressure forced air kerosene screed heaters with electric ignition and
	pressurized kerosene for machine wash down
8.	Engine: _Ford gasoline, Model 104 - 104 cubic inch displacement; 12 volt electric system
9.	Option: Quick-change screed entensions to 11' consisting of two 1' screed extensions,
	two 6" screed extensions, two 1' augers and two 1' auger tunnels and mounting hardware

CITY OF FORT WAYNE FORM DPZE S-68

DEPARTMENT OF PURCHASES Number One Main St., Ft. Wayne, Ind. 46802 INVITATION

Contations, subject to the conditions on the reverse hereof, are requested on the following list of

maserials, supplies, equipment or services, for the department as mantioned, with delivery to destination as shown below. Contactions shall include all charges for delivery, packing, eqs. Address your reply as

"Mail all regions and Att. of Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. 46802 REQUIRED FOR DELIVERY TO:

Department Street Department or Division

Constity

Unit

1701 South Lafavette Street Address Fort Wayne, IN 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Time of Bids. Tuesday, December 2, 1980 at 11:00 AM

TALES: THE CITY IS LICENT FROM FEDERAL ELCISE AND INDIANA STATE SALES TAL THE CITYS INDIANA SALES TAL ELEMPTION
CERTIFICATE NUMBER IS NO. MASS, PRICES SHOULD NOT INCLUDE THESE TALES, See "Instructions to Sedient" No. 10 on present barsed for deciding. TAX EXEMPT (Unless otherwise indicated) Materials, Supplies, Equipment or Services

Medium Size Asphalt Paver, as per specifications, (or Equivalent)		
* *		
Affirmative Action: On File:	Attached: X	\$26,500.00

ee instruction item No. 18 on reverse side bereaf. % cash discount if paid within days from delivery and acceptance of goods or completion of services. PROPOSAL OR BID

In compliance with the above invitation for bids and robbest to all conditions thereof, the understand often and agrees, if this bid be accepted within a reasonable time from that of closure, to furnish any or all of the issues or render such services upon which prices are quoted, in accordance with the mentionance applying and as the prices set opposits each lies.

Delivery of any or all of the items or completion of services indicated shall be made within _days from receipt of order As delivery may be a deciding factor in the award of an order, it is important that hidders familial the information responses above.

Also disease IMPORTANT F

DEF	<i>S</i> 1	EQI	JIPMEI	VI CON	TPANY,	INC.		
Por A	HN	K	BREI	i lma of Co VNAN	Title	PRES	DENT	
Las	80	15	EAST	45TH	STREE	Γ		•
2	T.Al	WRF	NCE.	INDIA	NA		12/2/	

Page 1 of 6

Ref. No. __

Data __ 11-12-80

Fund 4-02-134-010-4003

Appropriation No. ...

Date wanted _

959-G

Specifications for One (I) Medium Size Asphalt Paver including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

		Base Price:	\$
		Freight:	\$
١.	General:	Lays either asphaltic or base materials to grade to a width of $8^{ \rm t}$ at a depth of $\frac{1}{6}^{ \rm t}$ to $6^{ \rm t}$.	\$
2.	Tires:	2 - II.25 \times 24 high flotation heavy duty pneumatic tires on rear of paver and 2 - I2" \times 22" solid rubber tires on front.	\$
3.	Traction Drive:	Hydrostatic drive coupled to 3 speed : transmission. Variable volume hydrostatic drive to provide Infinite speed selection in each of the three speed ranges.	\$
4.	Controls:	Dual control stations providing control of paving speeds or travel speeds, auger conveyer system, folding hopper, screed lift, throttle, horn, power steering, starter, screed vibrator, hydraulic disc brakes and parking brake. Auger-conveyer speed controls and screed depth controls located at rear of machine.	
5.	Hopper:	Minimum of 72 cubic feet struck capacity with hydraulic folding sides.	\$
6.	Auger-Conveyor System:	Infinitely varible speed hydrostatic auger-conveyor with separate drive for left and right hand systems, oscillating push rollers.	\$
7.	Screed:	One piece 8' wide with bolt-on replaceable wearing surfaces and bevel edger plates. Two high pressure forced air kerosene screed heaters with electrical ignition and integral pressurized Kerosene system for machine washdown.	\$
8.	Engine:	Gasoline with a minimum of 104 cubic inch displacement and 12 volt electrical system.	\$
9.	Option:	Screed extensions to II'.	\$

SPECIFICATIONS FOR SELF-PROPELLED ASPHALT PAVER

The specifications which follow intend to describe a self-propelled paver to be purchased by the City of Fort Wayne. The specifications are written in order to establish minimums and describe a paver suitable for paving 8' (eight feet) in width and expanding to 12' (twelve feet) capable of pushing city-owned dump trucks in the performance of routine paving and patching operations.

General:

Paver dimensions to be the following:

Weight: minimum 10,300 lbs.

Length: 10'2" Width: 8" Height: 60"

Paving depth 0" to 6"

Five gallon wash-down tank with dual controls for fuel oil

Engine:

To be a minimum of 30 h.p., air cooled, gasoline fired

Screed:

Adjustable screed from 8' to 12' with hydraulic extensions and double reversible augers that extend with the screed extensions. Equipped with propane gas burners for heating. Crown and valley adjustment plus or minus 3".

Hopper:

Hopper capacity 5 to 6 tons. Hopper dumps both sides. 39" flight chain foot pedal controlled.

Drive:

Drive to be accomplished by hydraulic driven pump off of 30 h.p. Wisconsin motor. Ten foam-filled tires - 8.25 x 20.5. Travel speed - 0 to 150' per minute. Each axle to the tires driven by independent hydraulic motors by means of completely enclosed chains.

Warranty:

To be six months on all parts.

Trailer:

Bidder shall also furnish trailer capable of hauling the described paver.

CITY OF FORT WAYNE FORM OPER 5-48 DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind.

INVITATION ations, subject to the conditions on the reverse hereof, are requested on the following list of

manerials, supplies, squiposes or services, for the department as manufaced, with delivery to destination as above below. Concations shall include all chapter for delivery, packing, res. Access your reply as

*Mail all replies and Acts of Aaron M. Gluck 423-7037 DEPARTMENT OF PURCHASES

Room 940, Number One Main St., Ft. Wayne, Ind. 46802

REQUIRED FOR DELIVERY TO:

Department Street Department or Division

1701 South Lafayette Street Fort Wayne, IN 46803

RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE

Closing Time of Bids. Tuesday, December 2, 1980 at 11:00 AM

TAINS THE CUIT IS CITED THOU THEFAL EXCESS AND DEDIANA STATE SALES IN. THE CUITS INDIANA SALES TAX PRINCIPLES

46802

Creatity	Unit	Materials, Supplies, Equipment or Services	Gast Fries	Total
		One Barber-Greene Model SB111		
1		Medium Size Asphalt Paver, as per specifications, (or Equivalent)		\$62,900
		Option		\$ 2,288
				\$65,188
		` :		
-				
		Affirmative Action: On File:Attached:	-	

	1	1					-											
Bid Bond	-		723 X23	59				aca No. 1	rformane s on territor	side bere	of.	2	1 —					_
Teçms	%	cash	discount	if paid	withi	71	da;	ys from	n deliver	y and a	ccepta	ince of	goo	ds or co	mpleti	on of s	ervices.	
							PROF	POSAI	ORB	ID I								

In compliance with the above invitation for bids and rubbert to all conditions thereof, the understand often and agrees, if this bid he accepted within a passonable time from date of circuit, to farming any ore sired the items or rander such services upon which prices are quoted, in accordance with the mentionations appoints and each the process accordance with the invitations appoints and each the process accordance with the invitations appoints and each the prices accordance with the invitations appoints and each the prices accordance with the invitations appoints and each time.

Delivery of any or all of the items or completion of services indicated shall be made within 3 days from receipt of order As delivery may be a deciding factor in the award of an order, it is important that bidders furnish the information respected above. IMPORTANT F Sign Heres

State Edutbuent (
Ilmust C Sha	01,00	apeay TVD	C Con Max
			a Gen. Mgr.
Address 3818 Prospe	gct.	Street	
Indianapolis,	IN	46203	11/26/80

Page 1 of 6

Ref. No.

Date _ 1!-12-80

Appropriation No. _

Date wanted _12-2-80

Fund 4-02-134-010-4003

959-G

Specifications for One (I) Medium Size Asphalt Paver including all standard equipment as listed in the manufacturer's literature unless superceded by any of the following specifications listed herein:

			Base Price:	\$_62,900.00
	• *		Freight:	\$ 237.00
1.	General:	Lays either asphaltic or base mat to grade to a width of 8' at a de $\frac{1}{4}$ " to 6".		\$_Included
2.	Tires:	2 - 11.25 \times 24 high flotation heapneumatic tires on rear of paver 2 \div 12" \times 22" solid rubber tires	and	\$_Included
3.	Traction Drive:	Hydrostatic drive coupled to 3 sp transmission. Variable volume hy drive to provide infinite speed s in each of the three speed ranges	drostatic selection	§ Included
4.	Controls:	Dual control stations providing c of paving speeds or travel speeds conveyer system, folding hopper, lift, throttle, horn, power steer starter, screed vibrator, hydraul brakes and parking brake. Auger-	s, auger screed ing, ic disc conveyor	
		speed controls and screed depth c located at rear of machine.	controls	\$ Included
5.	Hopper:	Minimum of 72 cubic feet struck c with hydraulic folding sides.	apacity	\$ Included
6.	Auger-Conveyor System:	Infinitely varible speed hydrosta auger-conveyor with separate driv left and right hand systems, osci ing push rollers.	e for	\$ Included
7.	Screed:	One piece 8' wide with bolt-on re wearing surfaces and bevel edger Two high pressure forced air kero heaters with electrical ignition	plates. sene screed and inte-	* .
		gral pressurized kerosene system washdown.	for machine	\$_Included
8.	Engine:	Gasoline with a minimum of 104 cu displacement and 12 volt electric		\$ Included
9.	Option:	Screed extensions to II'.		\$ 2,288.00

SPECIFICATIONS QUESTIONNAIRE

Bidders Proposal - To Be Completed

By the Bidder

1. General: Lays either asphaltic or base materials to grade to	a
---	---

width of 4' to 13' at a depth of 1/4" to 8".

2. Tires: Two 22:00 x 12" wide solid rubber tires on front

Two 16:00 x 16 - 6 Ply high flotation tires on rear

- 3. Traction Drive: Hydrostatic power to drive steel disc wheels with automatic type heavy duty disc brakes for each wheel. Hydrostatic power offers infinitely variable speed with paying speeds to 100 FPM and travel speeds to 14 MPH. Two speed transmission offers ranges to meet paying needs.
- 4. Controls: Full time power steering, wheel console and seat may be moved to either side of machine for optimum visibility. All controls except travel or pave selector and brakes are located on consoles for fingertip control. Throttle control located at engine instrument panel. Parking brakes located at each operator station.
- 5. Hopper: 115 ft self-dumping hopper
- 6. Auger-Conveyor System: Hydraulically powered, reversible feeder chains operate independently of each other and forward speed. Feeders can be operated manually or automatically. Hydraulically powered 12: diameter Screws. Separate drive for right or left hand systems. Oscillating push follers.
 7. Screed: Two piece basis 24" x 8' wide including cutoff shoes. Screed is heated by two fuel oil burners with electric ignition: Pressurized fuel
- 7. Screed: Two piece basis 24" x 8" wide including cutoff shoes. Screed is heated by two fuel oil burners with electric ignition. Pressurized fuel oil system with nozzle and hose for paver cleanup. Crown adjustable from 3" positive to 1" negative. Bevel end plates are included.
- 8. Engine: Ford model 256 diesel engine, 4-cylinder, 70-HP
- 9. Option: One 2' screed extension and one 1' screed extension
- 10. Weight: 15,300 lb.
- 11. Turning Radius: 8'2"
- 12. Paint: two coats of high grade enamel.
- Hydraulically Variable Strike Off: extends to 2' each side of screed providing 12' wide paving in seconds. Hydraulically operated with independent controls for both sides of screed.

dmn. Appr.	
------------	--

DIGEST SHEET

TITLE OF ORDINANCE Civil City P.O. A-000557 for one Asphalt Paver for the Street Department

DEPARTMENT REQUESTING ORDINANCE BOARD OF PUBLIC WORKS
SYNOPSIS OF ORDINANCE Civil City P.O. A-000557 for One Asphalt Paver for the Street
Department P.O. has been assigned to Indiana Equipment Co., Inc. It was the
Street Departments recommendation that a paver be purchased that would have all the
qualities of the "top of the line"pavers, and also that it be able to move from
job to job without the need of a trailer.
EFFECT OF PASSAGE Efficient Paving of the Streets can occur with a machine that
has minimal repair history and a very satisfactory quality record.
EFFECT OF NON-PASSAGE Above described cannot occur.
MONEY INVOLVED (DIRECT COSTS, EXPENDITURES, SAVINGS) \$31,597.50 to be
paid for out of the Street Department Budget.
ASSIGNED TO COMMITTEE (PRESIDENT)